

The Product and Experiment Guide

Solutions for Your Research

p. 2

CELL CULTURE & MICROSCOPY

p. 5

REAGENTS

p. 6

LIVE CELL IMAGING

p. 8

**SPHEROIDS | ORGANOIDS
3D CELL CULTURE**

p. 10

FLOW ASSAYS

p. 12

MIGRATION & WOUND HEALING

p. 13

CHEMOTAXIS ASSAYS

p. 14

ANGIOGENESIS ASSAYS

p. 15

IMMUNOFLUORESCENCE

Find the Ideal Imaging Chamber for Your Application


IMMUNO-
FLUORESCENCE



3 Well | 8 Well | 12 Well Chamber, removable

Removable silicone chambers on a microscope glass slide for cell culture and immunofluorescence, suitable for upright and inverted microscopy and long-term storage

p. 15



μ-Slide VI^{0.5} Glass Bottom | μ-Slide VI^{0.4}

Slides with 6 parallel channels providing ideal optical conditions for immunofluorescence, available with different coatings; with an ibidi Polymer Coverslip or a glass bottom

MIGRATION
& WOUND HEALING



Culture-Insert 2 Well | 3 Well | 4 Well

Silicone inserts with a defined cell-free gap for wound healing, migration, 2D invasion assays, and co-cultivation of cells; available as individual inserts in a μ-Dish or as 25 pieces in a transport dish for self-insertion

p. 12



Culture-Insert 2 Well 24

The complete solution for high-throughput wound healing and migration experiments

ANGIOGENESIS



μ-Slide 15 Well 3D | μ-Plate 96 Well 3D

A slide with ibidi Polymer Coverslip or a glass bottom for tube formation assays, 3D cell culture, and immunofluorescence; also available with 96 wells for high-throughput applications

p. 14

CHEMOTAXIS




μ-Slide Chemotaxis

A slide with a specialized geometry for chemotaxis assays with fast or slow migrating cells in 2D or 3D; stable gradients for more than 48 hours

p. 13

SINGLE-CELL ASSAYS



μ-Slides With Single-Cell μ-Pattern


One cell per spot: Ready-to-use micropatterned slides with ideal spacing for single cell assays (e.g., CAR-T cell activity assay)

“

*ibidi made it much simpler for me to prepare cells for **confocal** and **live cell microscopy**. Cells that attached poorly to glass **grew better** on ibidi μ-Slides and μ-Dishes.*

*Esther G.L. Koh, PhD
National University of Singapore*

HIGH-THROUGHPUT



μ-Plate 24 Well | 96 Well Square/Round | 384 Well


Plates with a flat, clear ibidi Polymer Coverslip or a glass bottom for brilliant images in high-throughput cell microscopy; plate dimensions meet ANSI/SLAS (SBS) standards

STICKY SLIDES



sticky-Slide 8 Well^{high} | 18 Well | 1 Luer | Chemotaxis | VI^{0.4}


Bottomless slides with a self-adhesive underside that allow the mounting of a variety of bottom materials



GLASS COVERSIP
POLYMER COVERSIP

μ-Slide 1 Well | 2 Well | 4 Well | 8 Well^{high} | 18 Well

Chambered coverslips that combine optimal conditions for cell culture, immunofluorescence, live cell imaging, and high-resolution microscopy; available with an ibidi Polymer Coverslip or a glass bottom




GLASS COVERSIP
POLYMER COVERSIP

μ-Dish Family

A variety of petri dishes for cell culture and high-end microscopy; available with an ibidi Polymer Coverslip or a glass bottom; gridded dishes for cell location and counting also available


IMAGING CHAMBERS
FOR EVERY LAB



BIOINERT
POLYMER COVERSIP

Bioinert ULA μ-Slides and μ-Dishes

Labware with a completely non-adherent surface for culturing spheroids, organoids, and suspension cells



BIOINERT
POLYMER COVERSIP

μ-Slides With Multi-Cell μ-Pattern

Multiple cells on one spot: Ready-to-use micropatterned slides with ideal spacing for spheroids and organoids

p. 8

SPHEROIDS | ORGANOIDS
3D CELL CULTURE



POLYMER COVERSIP

μ-Slide I Luer 3D

A slide with one channel and three wells for culturing cells on a 3D gel under flow, co-culture, and transmigration studies



BIOINERT
POLYMER COVERSIP

μ-Slide Spheroid Perfusion

A perfusable channel slide with 3 x 7 wells for long-term spheroid cultivation



POLYMER COVERSIP

μ-Slide III 3D Perfusion

A flow slide for optimal nutrient supply during long-term cell, organoid, or tissue culture



Collagen Type I

High-quality collagen, bovine or rat tail origin, for 3D gels, scaffolds, and coatings



GLASS COVERSIP
POLYMER COVERSIP

μ-Slide I Luer

Flow channel slides with an ibidi Polymer Coverslip or a glass bottom, available with different heights and coatings



POLYMER COVERSIP

μ-Slide γ-shaped


A flow channel slide for bifurcation studies and simulation of branching blood vessels



GLASS COVERSIP
POLYMER COVERSIP

μ-Slide VI^{0.5} | μ-Slide VI^{0.4}

Slides with 6 channels for parallel flow assays and high-end imaging, with ibidi Polymer Coverslip or glass bottom



p. 10

POLYMER COVERSIP

μ-Slide ibiPore SiN

A slide with a porous SiN membrane for transport and transmigration studies under static and flow conditions


FLOW ASSAYS

Get inspired by successful ibidi customers: Explore **publications** on each product page.



Order your **free sample** and test the ibidi microscopy chambers with your experiments.






The ibidi Imaging Chambers

A Bottom and Surface Guide

The Principle of Imaging Chambers: The Coverslip Bottom

The outstanding characteristic of the ibidi μ -Slides, μ -Dishes, and μ -Plates is their thin coverslip bottom, which has ideal features for high-end microscopy applications. In comparison, the bottom of standard cell culture plastics has a thickness of about 1 mm—which is more than 5 times the thickness of the coverslip and, therefore, not ideal for imaging.



ibidi Polymer Coverslip




The ibidi Polymer Coverslip Bottom is suitable for various imaging techniques up to the highest resolution. With a standard #1.5 coverslip thickness of 180 μm (+10/–5 μm), it meets all optical requirements for microscopes. The ibidi Polymer Coverslip is compatible with a variety of immersion oils, which are specified at ibidi.com/oil.

ibidi Glass Coverslip




The ibidi Glass Coverslip Bottom was developed specifically for TIRF, super-resolution microscopy, and single molecule microscopy. However, it is also ideally suitable for standard imaging techniques. The D 263 M Schott borosilicate glass has a #1.5H thickness of 170 μm (+/–5 μm) and unrestricted immersion oil compatibility.

Surfaces and Coatings for the ibidi Polymer Coverslip




ibiTreat (Tissue Culture-Treated)

Excellent adhesion of adherent cells, hydrophilic surface with no need for any additional coating; optimal for everyday cell culture




Hydrophobic, Uncoated Surface

Weak adhesion of adherent cells, suitable for the application of specific coatings



Bioinert Surface


No adhesion of adherent cells or any biomolecule, stable long-term passivation; ideal for spheroid and organoid culture



Coated Surface

Culture of adherent cells on a Collagen I, Collagen IV, or Poly-L-Lysine surface; available for selected μ -Slides

Surfaces and Coatings for the ibidi Glass Coverslip



Glass Surface

Adhesion of adherent cells (coating might be required), ideal for special microscopy applications

Download a detailed
Application Guide at:
ibidi.com/MicroscopyGuide



ibidi Reagents

Highest Quality for Live Cell Analysis

Collagen Type I for 3D Cell Culture

- Highest quality grade non-pepsinized, native collagen solution from bovine or rat tail origin, available in 5 or 10 mg/ml
- Provides biological extracellular matrix (ECM) structures
- For use in various cell culture applications (e.g., 3D gels, scaffolds, and coating)



ibidi Mounting Medium for Immunofluorescence

- Ready-to-use for immunofluorescence assays using widefield fluorescence and confocal microscopy
- DAPI counterstaining and mounting combined in one single step; also available without DAPI
- Compatible with all ibidi labware




ibidi Freezing Medium Classic

- A cell freezing medium with extremely high recovery rates
- No preliminary or sequential freezing required
- Serum-free—contains bovine serum albumin



ibidi Immersion Oil for Microscopy

- For high-resolution microscopy using oil immersion objective lenses
- Ultra-low autofluorescence for excellent imaging quality in fluorescence microscopy
- Compatible with all ibidi products and all microscope brands



“

*The Collagen Type I, Rat Tail from ibidi is a very high-quality product. We have been using it for years, and it always provides **reliable and stable results**.*

*We have utilized the collagen for culturing **many cell lines** and **primary cells** including stem cells, tumor cells, and cartilage cells.*

Prof. Liu Chun, Sun Yan-Sen University, Guangzhou, China

Live Cell Imaging Under Physiologic Conditions

ibidi Stage Top Incubators


Establish *in Vivo*-Like Conditions on Every Inverted Microscope

Cells react sensitively to changes in their environment. For reproducible, biologically relevant results, it is crucial to maintain stable conditions on the microscope during live cell imaging. The ibidi Stage Top Incubators precisely control essential parameters such as temperature, humidity, and CO₂ / O₂ levels.




Benefits

- **Easy installation and use:**
Quick mounting on inverted microscopes
- **No evaporation during long-term assays:**
Very high and stable humidity inside the incubation chamber using active, feedback-controlled humidity regulation, preventing evaporation and condensation
- **Optimal for high-resolution microscopy:**
Maximal xyz-stability on the microscope stage; can be extended with the ibidi Objective Heater during oil immersion, suitable for super-resolution and TIRF



Applications

- Migration, chemotaxis, and angiogenesis assays
- Hypoxia and physioxia assays
- Studying cell and membrane dynamics / TIRF
- Flow assays (combined with ibidi Pump System)



The patented ibidi Humidity Control ensures a constant and very high relative humidity inside the incubation chamber, thereby optimizing cell growth by preventing evaporation. Left: 70% RH, right: 90% RH.




We are **very pleased** with the **performance** of the **ibidi Stage Top Incubator – Silver Line** in our long-term experiments.

Its handling is **notably straightforward**, and the **XY-stability is impressive**.

Anna Pastucha, PhD & Marion Raich,
Technical University of Munich, Germany


Optional: Objective Heater

Perform long-term oil immersion or water immersion imaging without cooling of the sample.





Download a detailed Application Guide at:
ibidi.com/LiveImagingGuide





ibidi Stage Top Incubator Slide/Dish – Silver Line




Your inverted microscope**

* See compatibility list in the Instructions

** Your inverted microscope is not part of the ibidi Stage Top Incubator. Please contact us for information on suitable microscopes.

ibidi Stage Top Incubator Multiwell Plate – Silver Line



Contact ibidi for a **free demo** of the ibidi Stage Top Incubator.



For standard live cell imaging applications, we also provide the ibidi Stage Top Incubator – Blue Line.




3D Cell Culture

Solutions for Spheroids, Organoids, and Single Cells

The ibidi Surfaces for 3D Cell Culture

Bioinert Surface: No Cell Adhesion

Bioinert is a completely non-adherent surface covalently bound to the ibidi Polymer Coverslip. In contrast to standard ultra-low attachment (ULA) coatings, Bioinert provides a stable passivation in cell-based assays for several days or even weeks.



Bioinert μ -Slides and μ -Dishes

Labware with a completely non-adherent surface for culture and high-end microscopy of spheroids, organoids, and suspension cells




Watch a spheroid grow on a μ -Pattern surrounded by a **Bioinert Surface!**




μ -Patterning: Defined Cell Adhesion

Miniaturized adhesive patterns (e.g., lines, squares, or dots) are integrated at defined spots with the non-adhesive Bioinert surface of the ibidi Polymer Coverslip, allowing for precisely controlled cell adhesion for 2D/3D applications.



μ -Slides With Multi-Cell μ -Pattern

Multiple cells on one spot: Ready-to-use micropatterned slides with ideal spacing for spheroids and organoids



Watch a **CAR-T cell killing** assay using the ibidi μ -Patterning Technology!



Choose the Optimal Slide for Your Application



μ -Slide Spheroid Perfusion



μ -Slide III 3D Perfusion



μ -Slide I Luer 3D




μ -Slide 15 Well 3D | μ -Plate 96 Well 3D

3D cell aggregates	✓ free floating in well	✓ inside gel	✓ inside gel	✓ inside gel
Gel matrices for 3D	—	✓	✓	✓
Perfusion of samples	✓	✓	✓ with defined shear stress	—

ibidi Solutions for Your 3D Cell Culture Assay

Sample Preparation

Choose from a broad portfolio of 3D culture slides for optimal spheroid or organoid growth.




ibidi Collagen Type I

Simulates the extra-cellular matrix (ECM); for gels, scaffolds, and coatings in 3D cell culture



3D Cell Cultivation

Perform your 3D assay of choice using tailored ibidi solutions.




ibidi Pump System

For defined flow and spheroid/organoid perfusion with optimal nutrition during long-term experiments (see p. 10)



Imaging and Analysis

Easily analyze your assays using live cell imaging, immunofluorescence stainings, and more methods.



ibidi Stage Top Incubators

The ibidi solution for creating and maintaining a physiological environment under the microscope (see p. 6)



Find online 3D courses on our website: ibidi.com/online-courses

Download a detailed Application Guide at: ibidi.com/3DGuide



Flow Assays

Simulate Physiologic Systems Under Various Dynamic Conditions

The ibidi Pump System

Culturing cells under flow can be very important for cells that exist in biofluidic systems (e.g., endothelial or epithelial cells). The ibidi Pump System simulates defined continuous and pulsatile laminar flow, and oscillatory flow to create a more physiological environment.



Benefits

- **Long-term cell cultivation under flow:** Sterile and defined conditions for up to several weeks
- **Automation:** Software-based flow programming including shear stress and shear rate calculation
- **Simulation of all physiological flow patterns:** Wide shear stress range (0.1–200 dyn/cm²)
- **Compatibility:** Works with a wide range of slides (e.g., μ -Slides with Luer adapters, customized slides)
- **Flexibility:** To be used with all cell culture incubators, all inverted microscopes, and ibidi Stage Top Incubators

Applications

- Extended cell culture under flow with defined shear stress values
- Rolling and adhesion assays
- Transmigration and invasion studies
- Perfusion of cells, spheroids, and organoids in 2D and 3D for optimal long-term nutrition



*We've been working with the **ibidi Pump System** for over 5 years now and have recommended it to numerous colleagues.*

*In fact, the **ibidi Pump System** makes the endothelial cell under flow **the default** of our lab!*

*Nynke van den Akker, PhD
Maastricht University, The Netherlands*

Selected ibidi Channel Slides for Flow Assays



μ -Slide I Luer Family

With one channel for standard flow assays; different channel heights and coatings available



μ -Slide VI Family

With six channels for parallel flow assays; different coatings available



μ -Slide I Luer 3D

With one channel and three wells for culturing cells in/on a 3D gel matrix



μ -Slide III 3D Perfusion

For optimal nutrition in long-term 3D culture of cells, tissues, small organisms, organoids, or spheroids




μ -Slide Spheroid Perfusion

Channel slide with 3 x 7 wells for long-term culture of spheroids or organoids



μ -Slide VI^{0.4} With μ -Pattern


Micropatterned slides for single or multi-cell assays



ibidi Solutions for Your Flow Assay

Sample Preparation

Setup your flow assay of choice and choose from our broad portfolio of channel slides.




Channel Slides

Available with a variety of heights and coatings for different shear stress ranges, for 2D and 3D conditions




Flow Conditioning


Apply unidirectional, oscillatory, or pulsatile flow using the ibidi Pump System.




Application Examples




Rolling and adhesion



Cells under shear stress




Organoid perfusion



Spheroid perfusion


Staining and Microscopy

Image and stain cells directly in the channel slide.



Downstream Analysis

Easily analyze your cells with methods such as Western Blot, qPCR, FACS, or immunostaining.



Find online flow courses on our website: ibidi.com/online-courses

Download a detailed Application Guide at: ibidi.com/FlowGuide



Contact ibidi for a **free demo** of the ibidi Pump System.



Migration and Wound Healing Assays


Keep Your Experiments Easy and Reproducible

- Perform your assay of choice: Wound healing, migration, 2D invasion assays, or co-cultivation of cells
- Benefit from extremely high reproducibility due to the defined size of the Culture-Inserts' cell-free gap
- Save time with a quick and easy experimental setup and automated image analysis

ibidi Solutions for Your Wound Healing or Migration Assay



Sample Preparation

Setup your assay of choice in an easy and highly reproducible manner.




Culture-Insert 2 Well | 3 Well | 4 Well

Silicone insert with a defined cell-free gap



Live Cell Imaging

Measure migration and wound closure under physiological conditions in real time.




ibidi Stage Top Incubator

The ibidi solution for creating and maintaining a physiological environment under the microscope (see p. 6)



Data Analysis

Analyze your experiment with freeware (e.g., ImageJ) or machine learning-based solutions.



Need help choosing the right data analysis tool?
Contact us at:
techsupport@ibidi.com

Download a detailed Application Guide at:
ibidi.com/WoundHealingGuide



Chemotaxis Assays


Precisely Analyze Directed Cell Migration Behavior in 2D or 3D

- Investigate the behavior of slow migrating cells (e.g., cancer cells) and fast migrating cells (e.g., immune cells) in a 2D or 3D environment
- Keep a linear and stable chemotactic gradient for over 48 hours
- Reduce your costs by using minimal amounts of medium and supplements

ibidi Solutions for Your Chemotaxis Assay

Sample Preparation

Create a precisely defined, stable chemotactic gradient in a reproducible environment.




μ -Slide Chemotaxis

Specialized for 2D or 3D chemotaxis assays, with gradient-optimized geometry and brilliant optical features




Live Cell Imaging

Measure chemotaxis under physiological conditions in real time.




ibidi Stage Top Incubator

The ibidi solution for creating and maintaining a physiological environment under the microscope (see p. 6)



Data Analysis

Analyze your experiment with freeware (e.g., ImageJ) or machine learning-based solutions.



Find online chemotaxis courses on our website: [ibidi.com/online-courses](https://www.ibidi.com/online-courses)

Download a detailed Application Guide at: [ibidi.com/ChemotaxisGuide](https://www.ibidi.com/ChemotaxisGuide)



Angiogenesis Assays


Perform Tube Formation, Sprouting Assays, and 3D Cell Culture

- Investigate the behavior of endothelial cells using tube formation assays, sprouting assays, 3D cell culture, and immunofluorescence analysis
- Benefit from brilliant microscopic visualization without gel meniscus formation—all cells in one optical plane
- Reduce your costs by minimizing the amounts of Matrigel, medium, and supplements needed

ibidi Solutions for Your Tube Formation Assay


Sample Preparation

Seed your cells on minimal amounts of Matrigel and take advantage of the “well-in-a-well” feature.




μ-Slide 15 Well 3D

With “well-in-a-well” technology requiring only 10 μ l Matrigel per well, no gel meniscus



Live Cell Imaging

Get brilliant microscopic images in real time under physiological conditions—without gel meniscus.




ibidi Stage Top Incubator

The ibidi solution for creating and maintaining a physiological environment under the microscope (see p. 6)



Data Analysis

Analyze your experiment with freeware (e.g., ImageJ) or machine learning-based solutions.



Need help choosing the right data analysis tool? Contact us at: techsupport@ibidi.com

Download a detailed Application Guide at: ibidi.com/AngioGuide



Immunofluorescence Assays

Tailored for Your Assay: Choose From 3 Unique Solutions


- Simplify your protocol with the ibidi all-in-one chambers
- Perform high-resolution imaging (e.g., widefield fluorescence, confocal, or undisturbed phase contrast microscopy)

Download a detailed Application Guide at: ibidi.com/IFGuide




Chambered Coverslips

- 1 to 18 non-removable wells on a coverslip bottom
- Separated wells to minimize cross-contamination
- Different coatings available




Channel Slides

- Six parallel channels on a coverslip bottom
- Homogeneous cell and antibody distribution and low medium volume
- Different channel heights and coatings available



Removable Chamber Slides

- Removable silicone chambers on a standard glass slide
- Ideal for long-term storage and upright microscopy
- Suitable for high-throughput screening





“

*I work with the **ibidi slides** because they are superior to any other product of this kind on the market.*

*They are **easy to use**, give **consistent results**, **economical** and are suitable for a **wide range of applications**.*

Well done, ibidi!



*Thomas A.J. McKinnon, PhD
Imperial College London, UK*

Manufacturer / Supplier

ibidi GmbH

Lochhamer Schlag 11
82166 Gräfelfing
Germany

Toll free within Germany:

Phone: 0800/00 11 11 28
Fax: 0800/00 11 11 29

International calls:

Phone: +49 89/520 46 17-0
Fax: +49 89/520 46 17-59

E-Mail: info@ibidi.com

Chat: ibidi.com

North American Headquarters

ibidi USA, Inc.

2920 Marketplace Drive
Suite 102
Fitchburg, WI 53719
USA

Toll free within the US:

Phone: +1 844 276 6363

International calls:

Phone: +1 608 441 8181
Fax: +1 608 441 8383

E-Mail: ibidiusa@ibidi.com

Chat: ibidi.com



All ibidi products are for research use only! Errors and omissions excepted.

© ibidi GmbH, V 7.0 2024/02

Header image adapted from S. M. Morgani, NYU Langone Health, USA

For free samples, application notes, and handling movies, please visit us at:

ibidi.com